

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 03/03/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product form Product name UFI Product code Type of product Product group	 Mixture SOLUCLEAN WASHROOM FLOOR DISINFECTANT QQ70-V0T7-E00U-KAQP SCWS750WDP Biocidal products (e.g. Disinfectants, pest control) End product
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
 1.2.1. Relevant identified uses Main use category Use of the substance/mixture Function or use category 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety 	 Professional use,Consumer use Disinfectant Cleaning/washing agents and additives
Solupak Limited California Drive WF10 5QH Castleford – West Yorkshire UK T +44 (0)1924 565 120 <u>sales@solupak.com</u> - <u>www.solupak.com</u>	
1.4. Emergency telephone number	
Emergency number	: +44 (0)1924 565 120

SECTION 2:	Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/	2008 [CLP]		
Hazard pictograms (CLP)	GHS05	GHS07	GHS09
Signal word (CLP)	: Danger		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains	: QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES; LONZABAC 12.100
Hazard statements (CLP)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P260 - Do not breathe dust. P301+P312 - IF SWALLOWED: Call a POISON CENTER if you feel unwell. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P102 - Keep out of reach of children.
EUH-statements	: EUH208 - Contains 1-(1,2,3,4,5,6,7,8,-OCTAHYDRO-2,3,8,8-TETRAMETHYL- NAPTHALENYL)ETHANONE(54464-57-2). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-14-ALKYLDIMETHYL, CHLORIDES	CAS-No.: 85409-22-9 EC-No.: 287-089-1	1 – 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 1, H400
SULPHAMIDIC ACID; SULPHAMIC ACID; SULFAMIC ACID	CAS-No.: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0 REACH-no: 01-2119488633- 28	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
LONZABAC 12.100	CAS-No.: 2372-82-9 EC-No.: 219-145-8 REACH-no: 01-2119980592- 29	1 – 10	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
BENZODODECINIUM CHLORIDE	CAS-No.: 139-07-1 EC-No.: 205-351-5 REACH-no: 01-2120831693- 52	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
1-(1,2,3,4,5,6,7,8,-OCTAHYDRO-2,3,8,8- TETRAMETHYL-NAPTHALENYL)ETHANONE	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CETALKONIUM CHLORIDE	CAS-No.: 122-18-9 EC-No.: 204-526-3 REACH-no: 01-2120764433- 54	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
4.3. Indication of any immediate medi	cal attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam.		
5.2. Special hazards arising from the substa	ance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	ipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment	nt and cleaning up	
For containment Methods for cleaning up Other information	Collect spillage.Mechanically recover the product.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Do not breathe dust. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions Packaging materials	Store locked up. Store in a well-ventilated place. Keep cool.Product must only be kept in the original packaging.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection: Not required for normal conditions of use

8.2.2.2. Skin protection

Skin and body protection: Not required for normal conditions of use

Hand protection: Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection: Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: red.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 3.65 5% SOLUTION
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable.
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available.
Relative density	: No data available.
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Harmful if swallowed. Not classified Not classified	
SOLUCLEAN WASHROOM FLOOR DISINFEC	TANT	
ATE CLP (oral)	1064.963 mg/kg bodyweight	
BENZODODECINIUM CHLORIDE (139-07-1)		
LD50 oral rat	344 mg/kg bodyweight Animal: rat	
LD50 dermal rabbit	2730 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
SULPHAMIDIC ACID; SULPHAMIC ACID; SU	LFAMIC ACID (5329-14-6)	
LD50 oral rat	2140 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LONZABAC 12.100 (2372-82-9)		
LD50 oral rat	243.6 mg/kg	
LD50 dermal rat	> 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:	
Skin corrosion/irritation :	Causes severe skin burns. pH: 3.65 5% SOLUTION	
CETALKONIUM CHLORIDE (122-18-9)		
рН	5.55 Temp.: 29,2 °C Concentration: 1 vol% Remarks on result: 'other:'	
LONZABAC 12.100 (2372-82-9)		
рН	10.6 1% SOLUTION	
Serious eye damage/irritation :	Causes serious eye damage. pH: 3.65 5% SOLUTION	
CETALKONIUM CHLORIDE (122-18-9)		
рН	5.55 Temp.: 29,2 °C Concentration: 1 vol% Remarks on result: 'other:'	
LONZABAC 12.100 (2372-82-9)		
рН	10.6 1% SOLUTION	
	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
	Not classified	
SULPHAMIDIC ACID; SULPHAMIC ACID; SU	LFAMIL AUD (3329-14-6)	
NOAEL (animal/female, F1)	500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 83-4 (Reproduction and Fertility Effects)	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
LONZABAC 12.100 (2372-82-9)		
LOAEL (dermal, rat/rabbit, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LONZABAC 12.100 (2372-82-9)			
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard :	Not classified		
SOLUCLEAN WASHROOM FLOOR DISINFECT	ΓΑΝΤ		
Viscosity, kinematic	Not applicable		
QUATERNARY AMMONIUM COMPOUNDS, BE	NZYL-C12-14-ALKYLDIMETHYL, CHLORIDES (85409-22-9)		
Viscosity, kinematic Not applicable			
BENZODODECINIUM CHLORIDE (139-07-1)			
Viscosity, kinematic Not applicable			
CETALKONIUM CHLORIDE (122-18-9)			
Viscosity, kinematic Not applicable			
SULPHAMIDIC ACID; SULPHAMIC ACID; SULFAMIC ACID (5329-14-6)			
Viscosity, kinematic Not applicable			
LONZABAC 12.100 (2372-82-9)			
Viscosity, kinematic	27.954 mm²/s		

SECTION 12: Ecological information

12.1. Toxicity

-	
Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
BENZODODECINIUM CHLORIDE (139-07-1)	
EC50 - Crustacea [1]	≈ 0.032 mg/l Test organisms (species): Daphnia magna
SULPHAMIDIC ACID; SULPHAMIC ACID; SU	LFAMIC ACID (5329-14-6)
LC50 - Fish [1]	70.3 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	71.6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	33.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	34 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	19 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 60 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
LONZABAC 12.100 (2372-82-9)	
LC50 - Fish [1]	0.431 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.0775 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.073 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LONZABAC 12.100 (2372-82-9)		
EC50 72h - Algae [1]	0.02 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0.012 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	0.066 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.024 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
12.2. Persistence and degradability		
SOLUCLEAN WASHROOM FLOOR DISINFEC	TANT	
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
SOLUCLEAN WASHROOM FLOOR DISINFECTANT		
Bioaccumulative potential	No data available.	
LONZABAC 12.100 (2372-82-9)		
Partition coefficient n-octanol/water (Log Pow)	4.46	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Dispose of in accordance with relevant local regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1759	UN 1759	UN 1759	UN 1759	UN 1759
14.2. UN proper shippin	g name			
CORROSIVE SOLID,	CORROSIVE SOLID,	Corrosive solid, n.o.s.	CORROSIVE SOLID,	CORROSIVE SOLID,
N.O.S. (QUATERNARY	N.O.S. (QUATERNARY	(QUATERNARY	N.O.S. (QUATERNARY	N.O.S. (QUATERNARY
AMMONIUM	AMMONIUM	AMMONIUM	AMMONIUM	AMMONIUM
COMPOUNDS, BENZYL-	COMPOUNDS, BENZYL-	COMPOUNDS, BENZYL-	COMPOUNDS, BENZYL-	COMPOUNDS, BENZYL-
C12-14-ALKYLDIMETHYL,	C12-14-ALKYLDIMETHYL,	C12-14-ALKYLDIMETHYL,	C12-14-ALKYLDIMETHYL,	C12-14-ALKYLDIMETHYL,
CHLORIDES)	CHLORIDES)	CHLORIDES)	CHLORIDES)	CHLORIDES)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document descri	iption			
UN 1759 CORROSIVE SOLID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-14-ALKYLDIMETHYL, CHLORIDES), 8, I, (E), ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-14-ALKYLDIMETHYL, CHLORIDES), 8, I, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1759 Corrosive solid, n.o.s. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-14-ALKYLDIMETHYL, CHLORIDES), 8, I, ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-14-ALKYLDIMETHYL, CHLORIDES), 8, I, ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-14-ALKYLDIMETHYL CHLORIDES), 8, I, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard c	lass(es)			
8	8	8	8	8
B		B		
14.4. Packing group				
I	Ι	Ι	I	I
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1		1
14.6. Special precautions	s for user			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (AD Portable tank and bulk contair Portable tank and bulk contair (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage Hazard identification number (Orange plates	: C1 : 27 : 0 : E0 : P0 R) : MF ner instructions (ADR) : T6 ner special provisions : TP : S1 : AT : AT : 1 : - Packages (ADR) : V1 : Operation (ADR) : S2	4 02, IBC07 218 33 0AN, L10BH		
Tunnel restriction code (ADR) EAC code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: E : 2X : 27 : 0 : E0	4		

Packing instructions (IMDG)

: P002

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IBC packing instructions (IMDG)	: IBC07
IBC special provisions (IMDG)	: B1
Tank instructions (IMDG)	: T6
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: В
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 858
PCA max net quantity (IATA)	: 1kg
CAO packing instructions (IATA)	: 862
CAO max net quantity (IATA)	: 25kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C10
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C10
Special provisions (RID)	: 274
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P002, IBC07
Mixed packing provisions (RID)	: MP18
Portable tank and bulk container instructions (RID)	: T6
Portable tank and bulk container special provisions	: TP33
(RID)	
Tank codes for RID tanks (RID)	: S10AN, L10BH
Special provisions for RID tanks (RID)	: TU38, TE22
Transport category (RID)	: 1
Special provisions for carriage – Packages (RID)	: W10
Hazard identification number (RID)	: 88

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acr	Abbreviations and acronyms:		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full	text of	EH- and	EUH-statements:	
гин	lext O	п- ани		

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH208	Contains 1-(1,2,3,4,5,6,7,8,-OCTAHYDRO-2,3,8,8-TETRAMETHYL-NAPTHALENYL)ETHANONE(54464-57-2). May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.