

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate  
UFI : K29V-G1J2-K009-2P0V  
Product code : BH116, BH170 & BH263

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : All Purpose Sanitiser and Cleaner

##### Uses advised against

Restrictions on use : Not for direct application to food stuffs, Not for oral consumption

#### 1.3. Details of the supplier of the safety data sheet

BioHygiene  
Unit A – D 12, Pant Glas Industrial Estate  
Bedwas  
Caerphilly  
CF83 8GE  
UK  
T +44 (0) 29 2067 4094  
[info@biohygiene.co.uk](mailto:info@biohygiene.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 29 2067 4094 (8am to 5pm)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1C H314  
Serious eye damage/eye irritation, Category 1 H318  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Presents no particular risk to the environment.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Signal word (CLP)	: Danger
Contains	: L-lactic acid;Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P262 - Do not get in eyes, on skin, or on clothing. P280 - Wear eye protection, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
L-lactic acid	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164-39	$\geq 20 - < 40$	Skin Corr. 1C, H314 Eye Dam. 1, H318
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16-XXXX	$\geq 5 - < 10$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO)	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16-XXXX	( $5 \leq C < 9.9$ ) Eye Irrit. 2; H319 ( $10 \leq C < 100$ ) Eye Dam. 1; H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Repeated or prolonged contact may cause skin irritation. Direct contact with the eyes is likely to be irritating.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: May cause moderate irritation, including burning sensation, tearing, redness or swelling.
Symptoms/effects after eye contact	: May cause eye irritation. redness, itching, tears. Risk of serious damage to eyes.
Symptoms/effects after ingestion	: May cause severe irritation to the digestive tract. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam.
------------------------------	---------------------

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Product is not explosive.
Hazardous decomposition products in case of fire	: On heating irritating fumes to eyes or skin may be produced.

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Wash immediately with plenty of water.
------------------	--

#### For non-emergency personnel

Emergency procedures	: Avoid contact with skin, eyes and clothing. When opening containers, avoid breathing vapours that may be emanating.
----------------------	---

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Presents no particular risk to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Stop leak without risks if possible.
Methods for cleaning up	: Clean contaminated surfaces with an excess of water.
Other information	: Small amount of unwanted product may be flushed with water to sewer.

### 6.4. Reference to other sections

For further information refer to section 13.

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. When opening containers, avoid breathing vapours that may be emanating.

Hygiene measures : Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible products : Strong alkalis.

Incompatible materials : Strong alkalis.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

##### BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

##### United Kingdom - Occupational Exposure Limits

Remark	Contains no substances with occupational work exposure limits.
--------	--

##### DNEL and PNEC

##### L-lactic acid (79-33-4)

##### DNEL/DMEL (Workers)

Acute - systemic effects, dermal	no hazard identified
----------------------------------	----------------------

Acute - systemic effects, inhalation	no hazard identified
--------------------------------------	----------------------

##### DNEL/DMEL (General population)

Acute - systemic effects, dermal	no hazard identified
----------------------------------	----------------------

Acute - systemic effects, oral	no hazard identified
--------------------------------	----------------------

##### PNEC (Water)

PNEC aqua (freshwater)	no hazard identified
------------------------	----------------------

PNEC aqua (marine water)	no hazard identified
--------------------------	----------------------

##### PNEC (Sediment)

PNEC sediment (freshwater)	no hazard identified
----------------------------	----------------------

PNEC sediment (marine water)	no hazard identified
------------------------------	----------------------

##### PNEC (STP)

PNEC sewage treatment plant	no hazard identified
-----------------------------	----------------------

##### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

##### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
--------------------------------------	---------------------------

Long-term - local effects, dermal	132 µg/cm²
-----------------------------------	------------

Long-term - systemic effects, inhalation	175 mg/m³
--	-----------

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

#### DNEL/DMEL (General population)

Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
Long-term - local effects, dermal	79 µg/cm <sup>2</sup>

#### PNEC (Water)

PNEC aqua (freshwater)	0.24 mg/l
PNEC aqua (marine water)	0.024 mg/l
PNEC aqua (intermittent, freshwater)	0.071 mg/l

#### PNEC (Sediment)

PNEC sediment (freshwater)	0.9168 mg/kg dwt
PNEC sediment (marine water)	0.0917 mg/kg dwt

#### PNEC (Soil)

PNEC soil	7.5 mg/kg dwt
-----------	---------------

#### PNEC (STP)

PNEC sewage treatment plant	10 g/l
-----------------------------	--------

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment:

Safety glasses. Handling and dilution of concentrates.

#### Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Handling and dilution of concentrates. Wear safety glasses with side shields. Use eye protection according to EN 166. Safety glasses

### Eye protection

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

### Skin protection

#### Skin and body protection:

Wear suitable working clothes

#### Hand protection:

Nitrile-rubber protective gloves. (EN374). Always wash hands after handling the product

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)			EN ISO 374
Reusable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)	>0.38mm		EN ISO 374

### Respiratory protection

#### Respiratory protection:

Not necessary with sufficient ventilation. When opening containers, avoid breathing vapours that may be emanating

### Thermal hazards

#### Thermal hazard protection:

Not required.

### Environmental exposure controls

#### Environmental exposure controls:

No special environmental concerns.

#### Consumer exposure controls:

When opening containers, avoid breathing vapours that may be emanating.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.
Odour	: Pleasant.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 2
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.07 – 1.08 @ 20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### L-lactic acid (79-33-4)

LD50 oral rat	< 3543 mg/kg bodyweight Female Rat
LD50 oral	< 4936 mg/kg bodyweight Male Rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 7.94 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

#### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:

Skin corrosion/irritation : Causes severe skin burns.  
pH: 2  
Serious eye damage/irritation : Causes serious eye damage.  
pH: 2  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

Aspiration hazard : Not classified

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### L-lactic acid (79-33-4)

LC50 - Fish [1]	195 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	130 – 750 mg/l Test organisms (species): Daphnia magna
ErC50 algae	> 2800 mg/l (Pseudokirchneriella subcapitata (algae))

#### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

LC50 - Fish [1]	7.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	7.4 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'

### 12.2. Persistence and degradability

#### BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### L-lactic acid (79-33-4)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### 12.3. Bioaccumulative potential

#### BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

Bioaccumulative potential	The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.
---------------------------	--

#### L-lactic acid (79-33-4)

Bioaccumulative potential	Not potentially bioaccumulable.
---------------------------	---------------------------------

#### Alcohols, C12-14(even numbered), ethoxylated, sulfates, sodium salts (< 2.5EO) (68891-38-3)

Bioaccumulative potential	Not expected to Bioaccumulate.
---------------------------	--------------------------------



# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### 12.4. Mobility in soil

#### BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

Additional information Soluble in water

### 12.5. Results of PBT and vPvB assessment

#### BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7. Other adverse effects

Other adverse effects : No adverse affects known.






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	Corrosive liquid, acidic, inorganic, n.o.s. (CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid))
<b>Transport document description</b>				
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III	UN 3265 Corrosive liquid, acidic, inorganic, n.o.s. (CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Corrosive liquid, acidic, organic, n.o.s. (lactic acid)), 8, III
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

ADR	IMDG	IATA	ADN	RID
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C3
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	
Tunnel restriction code (ADR)	: E
EAC code	: 2X



#### Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### Inland waterway transport

Classification code (ADN)	: C3
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: C3
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk containers special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### National regulations

UK HSE EH40 workplace exposure limits

Regulation (EC) 1907/2006 - REACH (UK amended)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number

# BioHygiene All Purpose Sanitiser (FRAGRANCED) Concentrate

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### Abbreviations and acronyms:

N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

### Full text of H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.