

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : BioHygiene Gum, Mark & Graffiti Remover  
Product code : BH119 & BH121

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Eco Friendly stubborn mark, gum and graffiti remover

##### Uses advised against

Restrictions on use : Not for direct application to food stuffs, Not for oral consumption

#### 1.3. Details of the supplier of the safety data sheet

BioHygiene  
Unit A – D 12 , Pant Glas Industrial Estate  
Bedwas  
Caerphilly  
CF83 8GE  
UK  
T +44 (0) 29 2067 4094  
[info@biohygiene.co.uk](mailto:info@biohygiene.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 2067 4094 (8am to 5pm)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### 2.3. Other hazards

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)  
This product does not contain substances at  $\geq 0.1\%$  that meet the vPvB criteria of UK REACH regulation, annex XIII  
Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane-1,2-diol (MPG)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809-23-XXXX	≥ 10 – < 20	Not classified

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: To our knowledge, the product does not present any particular risk, under normal conditions of use. Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Call a POISON CENTER/doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes serious eye irritation.
Symptoms/effects after inhalation	: May cause slight irritation.
Symptoms/effects after skin contact	: May cause slight irritation to the skin.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Foam. Carbon dioxide.
------------------------------	-------------------------------------

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Product is not explosive.
Hazardous decomposition products in case of fire	: On heating irritating fumes to eyes or skin may be produced.

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Always wash hands after handling the product.
------------------	---

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### For non-emergency personnel

- Protective equipment : No special requirement. Avoid contact with skin.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.  
Measures in case of dust release : Not applicable (aqueous liquid).

### For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

This product does not present any particular risk for the environment.

## 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Stop leak without risks if possible.  
Methods for cleaning up : Wash the spillage site with large amounts of water.  
Other information : Small amount of unwanted product may be flushed with water to sewer.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Ensure spraying away from persons.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes.  
Hygiene measures : Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Does not require any specific or particular technical measures.  
Storage conditions : Store in a dry place. Store in a closed container. Keep cool.  
Incompatible products : Strong acids. Strong alkalis.  
Storage area : Store away from heat.

### 7.3. Specific end use(s)

Graffiti and mark remover.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

BioHygiene Gum, Mark & Graffiti Remover	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> particulates
	474 mg/m <sup>3</sup> total vapour and particulates
	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Propane-1,2-diol (MPG) (57-55-6)	
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Propane-1,2-diol (MPG) (57-55-6)	
WEL TWA (OEL TWA)	10 mg/m³ particulates
	474 mg/m³ total vapour and particulates
	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### DNEL and PNEC

C08-10 Alkyl glucoside (68515-73-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	420 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	35.7 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	124 mg/m³
Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.176 mg/l
PNEC aqua (marine water)	0.0176 mg/l
PNEC aqua (intermittent, freshwater)	0.27 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1516 mg/kg dwt
PNEC sediment (marine water)	0.152 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.654 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	111.11 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	560 mg/l
Propylene glycol n-butyl ether (5131-66-8)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	50 % in mixture
Long-term - systemic effects, dermal	52 mg/kg bodyweight/day
Long-term - local effects, dermal	50 % in mixture
Long-term - systemic effects, inhalation	147 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, dermal	50 % in mixture
Long-term - systemic effects, oral	12.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	43 mg/m³
Long-term - systemic effects, dermal	22 mg/kg bodyweight/day
Long-term - local effects, dermal	50 % in mixture

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Propylene glycol n-butyl ether (5131-66-8)	
PNEC (Water)	
PNEC aqua (freshwater)	0.525 mg/l
PNEC aqua (marine water)	0.0525 mg/l
PNEC aqua (intermittent, freshwater)	5.25 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2.36 mg/kg dwt
PNEC sediment (marine water)	0.236 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.16 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l

## 8.2. Exposure controls

### Personal protection equipment

Personal protective equipment symbol(s):



### Eye and face protection

#### Eye protection:

Safety goggles if splashing likely

### Skin protection

#### Skin and body protection:

No special requirement

#### Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)			EN ISO 374
Reusable gloves, Type A	Nitrile rubber (NBR)	2 (> 30 minutes)	>0.38mm		EN ISO 374

### Respiratory protection

#### Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation

### Thermal hazards

#### Thermal hazard protection:

Not required.

### Environmental exposure controls

#### Environmental exposure controls:

No special environmental concerns.

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6 – 8
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions of use. Do not mix with other products.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Store away from heat/moisture.

#### 10.5. Incompatible materials

Strong alkalis. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

Acute toxicity (inhalation) : Not classified

Propane-1,2-diol (MPG) (57-55-6)	
LD50 oral rat	22000 mg/kg bodyweight Animal: rat, Remarks on results: other:
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other:, Remarks on results: other:

Skin corrosion/irritation : Not classified  
pH: 6 – 8

Serious eye damage/irritation : Not classified  
pH: 6 – 8

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Propane-1,2-diol (MPG) (57-55-6)	
NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Propane-1,2-diol (MPG) (57-55-6)	
LC50 - Fish [1]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	51400 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [1]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	19100 mg/l Test organisms (species): Skeletonema costatum

### 12.2. Persistence and degradability

BioHygiene Gum, Mark & Graffiti Remover	
Persistence and degradability	Not rapidly degradable
Propane-1,2-diol (MPG) (57-55-6)	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

No additional information available

# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### 12.4. Mobility in soil

#### BioHygiene Gum, Mark & Graffiti Remover

Additional information

Soluble in water

### 12.5. Results of PBT and vPvB assessment

#### BioHygiene Gum, Mark & Graffiti Remover

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

This product does not contain substances at  $\geq 0.1\%$  that meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7. Other adverse effects

Other adverse effects : No adverse effects known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

No additional information available

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable



# BioHygiene Gum, Mark & Graffiti Remover

## Safety Data Sheet

According to REACH Regulation (1907/2006) as retained in UK law by UK REACH (SI 2019/758), as amended and EU CLP Regulation (1272/2008) & GB CLP

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### National regulations

UK HSE EH40 workplace exposure limits

Regulation (EC) 1907/2006 - REACH (UK amended)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

No additional information available

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.